

Supplement Table 1. The sensitivity and 1-specificity values based on the ROC curve and area under the ROC curve
<Coordinates of the curve; test result variable(s): PAT>

Positive if greater than or equal to	Sensitivity	1-Specificity
35.145	1.000	1.000
40.102	1.000	0.996
45.596	1.000	0.993
48.082	1.000	0.989
49.546	1.000	0.985
50.280	1.000	0.982
50.510	1.000	0.978
51.212	1.000	0.974
54.064	1.000	0.970
57.481	1.000	0.967
58.797	0.990	0.967
58.926	0.990	0.963
59.256	0.990	0.959
59.524	0.981	0.959
60.100	0.981	0.956
60.852	0.981	0.952
61.366	0.981	0.948
61.933	0.981	0.945
62.484	0.981	0.941
63.055	0.981	0.937
63.643	0.981	0.934
64.971	0.981	0.930
66.391	0.981	0.926
66.992	0.971	0.926
67.253	0.971	0.923
67.348	0.971	0.919
67.392	0.961	0.919
68.261	0.961	0.915
69.200	0.961	0.911
69.420	0.961	0.908
69.570	0.951	0.908
70.143	0.951	0.904
71.076	0.951	0.900
71.779	0.951	0.897
72.093	0.942	0.897
72.311	0.942	0.893
72.980	0.942	0.889
73.657	0.942	0.886
74.152	0.942	0.882
74.440	0.942	0.878
74.750	0.932	0.878
75.285	0.932	0.875
75.597	0.932	0.871
75.691	0.932	0.867
75.737	0.932	0.863
76.071	0.932	0.860
76.712	0.932	0.856
77.141	0.932	0.852
77.362	0.932	0.849
77.601	0.932	0.845
77.946	0.932	0.841
78.509	0.922	0.841
78.916	0.922	0.838
79.726	0.922	0.834
80.493	0.922	0.830
80.910	0.922	0.827

Supplement Table 1. Continued 1

Positive if greater than or equal to	Sensitivity	1-Specificity
81.540	0.922	0.823
81.946	0.922	0.819
82.955	0.922	0.815
83.810	0.922	0.812
83.831	0.922	0.808
84.000	0.913	0.808
84.525	0.913	0.804
85.179	0.913	0.801
85.791	0.913	0.797
86.178	0.913	0.793
86.404	0.913	0.790
86.608	0.913	0.786
86.864	0.913	0.782
87.394	0.913	0.779
87.921	0.913	0.775
88.191	0.903	0.775
88.453	0.903	0.771
88.850	0.903	0.768
89.077	0.893	0.768
89.208	0.883	0.768
89.347	0.883	0.764
89.533	0.883	0.760
89.689	0.883	0.756
89.745	0.883	0.753
90.122	0.874	0.753
90.782	0.874	0.749
91.306	0.874	0.745
92.332	0.874	0.742
93.169	0.874	0.738
93.262	0.874	0.734
93.397	0.874	0.731
93.470	0.864	0.731
93.627	0.864	0.727
93.770	0.854	0.727
93.803	0.854	0.723
93.860	0.854	0.720
94.158	0.854	0.716
94.608	0.854	0.712
94.867	0.845	0.712
94.950	0.835	0.712
95.091	0.835	0.708
95.381	0.835	0.705
95.845	0.835	0.701
96.340	0.835	0.697
96.551	0.835	0.694
96.643	0.835	0.690
96.780	0.835	0.686
97.160	0.825	0.686
97.506	0.825	0.683
97.748	0.825	0.679
98.031	0.825	0.675
98.156	0.825	0.672
98.342	0.825	0.668
98.532	0.825	0.664
98.840	0.816	0.664
99.129	0.816	0.661
99.285	0.816	0.657
99.402	0.806	0.657

Supplement Table 1. Continued 2

Positive if greater than or equal to	Sensitivity	1-Specificity
99.413	0.806	0.653
99.515	0.806	0.649
99.768	0.806	0.646
99.979	0.806	0.642
100.051	0.806	0.638
100.161	0.806	0.635
100.300	0.806	0.631
100.470	0.806	0.627
100.729	0.806	0.624
100.870	0.796	0.624
100.971	0.796	0.620
101.395	0.796	0.616
101.818	0.786	0.616
102.208	0.786	0.613
102.506	0.786	0.609
102.520	0.786	0.605
102.559	0.786	0.601
102.862	0.786	0.598
103.267	0.777	0.598
103.432	0.777	0.594
103.688	0.777	0.590
103.929	0.777	0.587
104.113	0.767	0.587
104.426	0.767	0.583
104.618	0.767	0.579
104.709	0.767	0.576
104.822	0.767	0.572
104.989	0.767	0.568
105.112	0.767	0.565
105.396	0.767	0.561
105.823	0.767	0.557
105.994	0.767	0.554
106.201	0.757	0.554
106.463	0.757	0.550
107.145	0.757	0.546
107.818	0.748	0.546
107.879	0.748	0.542
107.916	0.748	0.539
108.112	0.748	0.535
108.348	0.748	0.531
108.508	0.738	0.531
108.689	0.738	0.528
109.060	0.738	0.524
109.372	0.738	0.520
110.189	0.738	0.517
111.016	0.738	0.513
111.211	0.738	0.509
111.997	0.738	0.506
112.726	0.738	0.502
112.896	0.728	0.502
113.020	0.728	0.498
113.239	0.718	0.498
113.486	0.709	0.498
113.571	0.709	0.494
113.624	0.699	0.494
113.793	0.699	0.491
114.142	0.689	0.487
114.654	0.680	0.487

Supplement Table 1. Continued 3

Positive if greater than or equal to	Sensitivity	1-Specificity
115.119	0.680	0.483
115.349	0.680	0.480
115.503	0.680	0.476
115.631	0.680	0.472
115.920	0.680	0.469
116.291	0.680	0.465
116.575	0.680	0.461
117.263	0.670	0.461
117.989	0.670	0.458
118.288	0.660	0.458
118.457	0.660	0.454
118.890	0.650	0.454
119.330	0.641	0.454
119.455	0.641	0.450
119.495	0.641	0.446
119.612	0.641	0.443
119.863	0.641	0.439
120.070	0.641	0.435
120.280	0.641	0.432
120.686	0.641	0.428
120.995	0.641	0.424
121.051	0.641	0.421
121.305	0.641	0.417
122.298	0.641	0.413
123.053	0.641	0.410
123.089	0.631	0.410
123.199	0.631	0.406
123.668	0.631	0.402
124.072	0.631	0.399
124.175	0.631	0.395
124.413	0.631	0.391
124.914	0.631	0.387
125.354	0.631	0.384
125.551	0.631	0.380
125.727	0.631	0.376
125.885	0.621	0.376
126.468	0.612	0.376
126.968	0.612	0.373
127.319	0.612	0.369
128.046	0.602	0.369
128.489	0.602	0.365
128.597	0.602	0.362
128.666	0.592	0.362
128.715	0.592	0.358
128.770	0.592	0.354
128.884	0.592	0.351
129.068	0.592	0.347
129.229	0.592	0.343
129.323	0.592	0.339
129.546	0.583	0.339
129.759	0.583	0.336
129.830	0.583	0.332
129.956	0.583	0.328
130.197	0.573	0.328
130.403	0.573	0.325
130.555	0.563	0.325
130.916	0.563	0.321
131.191	0.563	0.317

Supplement Table 1. Continued 4

Positive if greater than or equal to	Sensitivity	1-Specificity
131.347	0.553	0.317
131.611	0.553	0.314
131.764	0.544	0.314
131.893	0.544	0.310
132.118	0.544	0.306
132.315	0.534	0.306
132.773	0.524	0.306
133.211	0.524	0.303
133.283	0.515	0.303
133.361	0.515	0.295
133.529	0.515	0.292
133.730	0.515	0.288
134.243	0.515	0.284
134.992	0.515	0.280
135.685	0.515	0.277
136.258	0.515	0.273
136.508	0.515	0.269
137.231	0.505	0.269
137.959	0.505	0.266
138.162	0.505	0.262
138.526	0.505	0.258
138.952	0.505	0.255
139.547	0.505	0.251
140.113	0.505	0.247
140.424	0.505	0.244
140.616	0.505	0.240
140.955	0.495	0.240
141.302	0.495	0.236
141.412	0.495	0.232
141.757	0.495	0.229
142.125	0.495	0.225
142.173	0.495	0.221
142.242	0.495	0.218
142.504	0.485	0.218
142.722	0.476	0.218
142.805	0.466	0.218
143.078	0.466	0.214
143.918	0.466	0.210
144.657	0.466	0.207
145.299	0.466	0.203
146.157	0.447	0.203
146.522	0.447	0.199
146.764	0.447	0.196
147.125	0.437	0.196
147.341	0.437	0.192
147.443	0.427	0.192
147.501	0.427	0.188
147.760	0.417	0.188
148.241	0.417	0.185
148.691	0.417	0.181
149.021	0.417	0.177
149.443	0.417	0.173
149.798	0.417	0.170
150.107	0.408	0.170
150.646	0.398	0.170
150.961	0.388	0.170
151.111	0.388	0.166
151.635	0.379	0.166

Supplement Table 1. Continued 5

Positive if greater than or equal to	Sensitivity	1-Specificity
152.246	0.379	0.162
152.560	0.379	0.159
153.004	0.369	0.159
153.501	0.359	0.159
154.370	0.359	0.155
155.348	0.359	0.151
155.977	0.350	0.151
156.357	0.340	0.151
156.488	0.330	0.151
156.616	0.320	0.151
156.708	0.311	0.151
156.778	0.311	0.148
156.862	0.311	0.140
157.185	0.311	0.137
157.490	0.311	0.133
157.738	0.301	0.133
158.072	0.301	0.129
158.375	0.301	0.125
159.027	0.291	0.125
160.127	0.291	0.122
160.954	0.291	0.118
161.860	0.291	0.114
163.114	0.291	0.111
163.805	0.282	0.111
164.063	0.282	0.107
165.580	0.282	0.100
166.979	0.282	0.096
167.802	0.282	0.092
168.799	0.272	0.092
169.315	0.262	0.092
169.926	0.252	0.092
170.475	0.243	0.092
171.046	0.243	0.089
171.955	0.233	0.089
172.602	0.233	0.085
174.025	0.233	0.081
175.441	0.223	0.081
175.502	0.214	0.081
175.567	0.204	0.081
175.712	0.204	0.077
176.385	0.194	0.077
177.109	0.194	0.074
177.410	0.184	0.074
177.580	0.175	0.074
178.126	0.175	0.070
179.037	0.165	0.070
179.694	0.155	0.070
180.102	0.155	0.066
181.285	0.155	0.063
182.876	0.155	0.059
184.170	0.146	0.059
185.279	0.136	0.059
186.264	0.136	0.055
187.002	0.136	0.052
188.166	0.136	0.048
189.778	0.136	0.044
191.362	0.126	0.044
193.813	0.117	0.044

Supplement Table 1. Continued 6

Positive if greater than or equal to	Sensitivity	1-Specificity
195.574	0.117	0.041
196.043	0.117	0.037
197.548	0.117	0.033
199.273	0.117	0.030
200.392	0.117	0.026
201.508	0.107	0.026
203.073	0.107	0.022
205.011	0.097	0.022
206.586	0.097	0.018
208.232	0.097	0.015
210.946	0.087	0.015
218.130	0.078	0.015
225.005	0.078	0.011
227.510	0.068	0.011
230.264	0.058	0.011
232.223	0.058	0.007
232.796	0.058	0.004
235.837	0.049	0.004
240.185	0.039	0.004
244.493	0.029	0.004
248.083	0.019	0.004
255.601	0.019	0.000
281.908	0.010	0.000
302.764	0.000	0.000

The test result variable(s): PAT has at least one tie between the positive actual state group and the negative actual state group. The smallest cutoff value is the minimum observed test value minus 1, and the largest cutoff value is the maximum observed test value plus 1. All the other cutoff values are the averages of two consecutive observed test values.

ROC, receiver operating characteristic; PAT, pericardial adipose tissue.