

Supplement 1. Search strategy on PubMed, Cochrane Central Register of Controlled Trials (CENTRAL), Ovid MEDLINE, and PsycInfo–EBSCO

PubMed (for publisher-supplied records only) 20230504		
Search no.	Query	Results
#1	alcohol use*[tiab] OR alcohol abuse*[tiab] OR alcohol misuse*[tiab] OR alcohol depend*[tiab] OR alcohol addict*[tiab] OR alcohol problem[tiab] OR harmful alcohol [tiab] OR risky alcohol [tiab] OR hazardous alcohol [tiab] OR unhealthy alcohol [tiab] OR excess* alcohol [tiab] OR alcoholism[tiab]	86,102
#2	harmful drink*[tiab] OR risky drink*[tiab] OR hazardous drink*[tiab] OR problem* drink*[tiab] OR binge drink*[tiab] OR heavy drink*[tiab] OR excessive drink*[tiab] OR unhealthy drink*[tiab]	20,729
#3	"heavy episodic"[tiab]	1,219
#4	#1 OR #2 OR #3	97,480
#5	screen*[tiab]	959,336
#6	(assessment tool*[tiab] OR assessment instrument*[tiab])	41,724
#7	alcohol[tiab] AND (scale*[tiab] OR inventor*[tiab] OR questionnaire*[tiab] OR survey*[tiab] OR index*[tiab] OR checklist[tiab] OR interview[tiab])	76,579
#8	#5 OR #6 OR #7	1,064,062
#9	#4 AND #8	34,829
#10	alcohol reduc*[tiab] OR reduc* alcohol[tiab]	59,844
#11	alcohol therap*[tiab] OR alcohol treatment*[tiab]	2,550
#12	controlled drink*[tiab]	267
#13	naltrexone[tiab] OR revia[tiab] OR depade[tiab] OR vivitrol[tiab] OR acamprosat[tiab] OR campral[tiab] OR disulfiram[tiab] OR antabuse[tiab] OR antabus[tiab]	11,933
#14	counsel*[tiab]	134,432
#15	(behavio* chang*[tiab] OR (behavio* intervention*[tiab]) OR (behavio* modification*[tiab])	599,193
#16	cognitive behavio*[tiab] OR cbt[tiab]	39,436
#17	behavio* therap*[tiab]	187,880
#18	motivational interview*[tiab]	5,527
#19	brief intervention*[tiab]	5,101
#20	self help[tiab]	7,902
#21	email*[tiab] OR internet[tiab] OR text messag*[tiab] OR web[tiab] OR website[tiab] OR computer based[tiab] OR computer mediated[tiab] OR computer assisted[tiab]	324,544
#22	"patient education"[tiab] OR "health education"[tiab] OR "health promotion"[tiab]	103,785
#23	"12 step"[tiab] OR "twelve step"[tiab] OR "alcoholics anonymous"[tiab]	1,907
#24	intervention*[ti] OR psychosocial[ti]	223,344
#25	#10 OR #11 OR #12 OR #13 OR #14 OR #15 OR #16 OR #17 OR #18 OR #19 OR #20 OR #21 OR #22 OR #23 OR #24	1,437,376
#26	#4 AND #25	33,465
#27	random*[tiab] OR clinical trial*[tiab] OR controlled trial*[tiab]	1,745,292
#28	(#9 OR #26) AND #27	8,261
#29	#28 AND publisher[sb] AND ("2017/01/01"[Date - Publication]: "3000"[Date - Publication]) AND English[Language]	130

Cochrane Central Register of Controlled Trials (CENTRAL) 20230504		
ID	Search	Hits
#1	alcohol*:t:ab,kw near/1 (use* or abuse* or misuse* or depend* or addict* or excess* or harmful or risk* or hazardous or problem* or unhealthy):t:ab,kw	11,940
#2	(harmful* or risk* or hazardous or problem* or binge* or heavy or excessive or unhealthy):t:ab,kw next drink*:t:ab,kw	4,292
#3	"heavy episodic":t:ab,kw	204
#4	#1 or #2 or #3	13,292
#5	screen*:t:ab,kw	92,789
#6	assessment:t:ab,kw next (tool* or instrument*):t:ab,kw	7,207
#7	(alcohol*):t:ab,kw near/5 (scale* or inventor* or questionnaire* or survey* or index* or checklist* or interview*):t:ab,kw	2,180
#8	#5 or #6 or #7	100,936
#9	"Alcohol Use Disorders Identification Test":t:ab,kw	629
#10	AUDIT-C:t:ab,kw	312
#11	"Alcohol Smoking and Substance Involvement Screening Test":t:ab,kw	112
#12	SASQ:t:ab,kw	15
#13	"Single Alcohol Screening":t:ab,kw next question*:t:ab,kw	11
#14	"National Institute on Alcohol Abuse and Alcoholism Single Item":t:ab,kw	0
#15	"NIAAA Single Item":t:ab,kw	0
#16	"Cut down Annoyed Guilty Eye opener":t:ab,kw	3
#17	"Brief Screener for Tobacco Alcohol and other Drugs":t:ab,kw	0
#18	BSTAD:t:ab,kw	0

#19	"Comorbidity Alcohol Risk Evaluation Tool":t.ab,kw	6
#20	"Tolerance Annoyed Cut down Eye opener":t.ab,kw	1
#21	"Tolerance Worried Eye-opener Amnesia Kut down":t.ab,kw	0
#22	SMAS-T-AID:t.ab,kw	0
#23	"4Ps Plus":t.ab,kw	0
#24	"Substance Use Risk Profile Pregnancy":t.ab,kw	0
#25	{or #9-#24}	959
#26	#4 and (#8 or #25) Publication Year from 2017 to 2023, in Trials	2
#27	(sensitiv* or specificit*):t.ab,kw	72417
#28	"predictive value":t.ab,kw	16088
#29	accuracy:t.ab,kw	27324
#30	false:t.ab,kw next (negativ* or positiv*):t.ab,kw	3776
#31	(miss or error):t.ab,kw next rate*:t.ab,kw	1727
#32	(advice or advise*):t.ab,kw	17,641
#33	ROC:t.ab,kw next curve*:t.ab,kw	3,486
#34	receiver:t.ab,kw next operat*):t.ab,kw	6,456
#35	{or #27-#34}	123,504
#36	{#4 and #8} or #25	3,716
#37	#35 and #36 Publication Year from 2017 to 2023, in Trials	0
#38	alcohol:t.ab,kw near/1 reduc*:t.ab,kw	1,906
#39	alcohol:t.ab,kw next (therap* or treatment*):t.ab,kw	610
#40	controlled:t.ab,kw next drink*:t.ab,kw	65
#41	naltrexone:t.ab,kw	2,775
#42	revia:t.ab,kw	26
#43	depade:t.ab,kw	2
#44	vivitrol:t.ab,kw	66
#45	acamprosate:t.ab,kw	362
#46	campral:t.ab,kw	12
#47	disulfiram:t.ab,kw	346
#48	antabuse:t.ab,kw	26
#49	antabus:t.ab,kw	5
#50	counsel*:t.ab,kw	27,700
#51	behavio*:t.ab,kw and chang*:t.ab,kw	48,637
#52	behavio*:t.ab,kw and intervention*:t.ab,kw	81,522
#53	behavio*:t.ab,kw and modification*:t.ab,kw	5,554
#54	(motivational next interview*):t.ab,kw	5,016
#55	(cognitive next behavio*):t.ab,kw or cbt:t.ab,kw	25,407
#56	behavio*:t.ab,kw and therapy:t.ab,kw	64,612
#57	(brief next intervention*):t.ab,kw	2,875
#58	"self help":t.ab,kw	4,513
#59	computer:t.ab,kw next (based or mediated or assisted):t.ab,kw	22,209
#60	email*:t.ab,kw or internet:t.ab,kw or (text next messag*):t.ab,kw or web:t.ab,kw or website:t.ab,kw	36,324
#61	"patient education":t.ab,kw or "health education":t.ab,kw or "health promotion":t.ab,kw	36,986
#62	"12 step":t.ab,kw or "twelve step":t.ab,kw or "alcoholics anonymous" or AA:t.ab,kw	7,084
#63	intervention*:ti or psychosocial:ti	77,667
#64	{or #38-#63}	254,363
#65	#4 and #64 Publication Year from 2017 to 2023, in Trials	7
#66	#26 or #37 or #65	8

Ovid MEDLINE(R) 1946 to 20230504

#	Query	Results from 4 May 2023
1	Alcohol-Related Disorders/	5,744
2	Alcoholic intoxication/	13,012
3	Alcoholism/	79,902
4	Binge Drinking/	2,515
5	(alcohol\$ adj1 (use\$ or abuse\$ or misuse\$ or depend\$ or addict\$ or excess\$ or harmful or risk\$ or hazardous or problem\$ or unhealthy)).t.ab.	73,606
6	((harmful\$ or risk\$ or hazardous or problem\$ or binge\$ or heavy or excessive or unhealthy) adj drink\$).t.ab.	19,968
7	heavy episodic.t.ab.	1,061
8	or/1-7	144,792

9	Mass screening/	115,825
10	screen\$.t ^a b.	807,883
11	(assessment adj (tool\$ or instrument\$)).t ^a b.	34,112
12	(alcohol\$ adj5 (scale\$ or inventor\$ or questionnaire\$ or survey\$ or index\$ or checklist\$ or interview\$)).t ^a b.	13,385
13	Substance Abuse Detection/	10,378
14	or/9-13	887,000
15	"Alcohol Use Disorders Identification Test".t ^a b.	1,981
16	AUDIT-C.t ^a b.	749
17	"Alcohol Smoking and Substance Involvement Screening Test".t ^a b.	222
18	SASQ.t ^a b.	15
19	Single Alcohol Screening Question\$.t ^a b.	13
20	"National Institute on Alcohol Abuse and Alcoholism Single Item".t ^a b.	0
21	NIAAA Single Item.t ^a b.	2
22	Cut down Annoyed Guilty Eye-opener.t ^a b.	59
23	"Brief Screener for Tobacco Alcohol and other Drugs".t ^a b.	1
24	BSTAD.t ^a b.	1
25	Comorbidity Alcohol Risk Evaluation Tool.t ^a b.	9
26	Tolerance Annoyed Cut down Eye opener.t ^a b.	3
27	Tolerance Worried Eye-opener Amnesia Kut down.t ^a b.	1
28	or/15-27	2,625
29	clinical trials as topic/ or controlled clinical trials as topic/ or randomized controlled trials as topic/	363,153
30	(clinical trial or controlled clinical trial or randomized controlled trial).pt.	936,013
31	Random\$.t ^a b.	1,195,414
32	control groups/ or double-blind method/ or single-blind method/	208,317
33	clinical trial\$.t ^a b.	402,497
34	controlled trial\$.t ^a b.	263,006
35	or/29-34	2,039,810
36	8 and (14 or 28) and 35	2,937
37	"Sensitivity and Specificity"/	368,116
38	"Predictive Value of Tests"/	222,614
39	ROC Curve/	70,731
40	False Negative Reactions/	18,296
41	False Positive Reactions/	28,590
42	Diagnostic Errors/	39,661
43	"Reproducibility of Results"/	459,066
44	Reference Values/	163,918
45	Reference Standards/	45,804
46	Observer Variation/	44,918
47	Receiver operat\$.t ^a b.	101,539
48	ROC curve\$.t ^a b.	42,244
49	sensitivit\$.t ^a b.	841,215
50	specificit\$.t ^a b.	515,236
51	predictive value.t ^a b.	98,866
52	accuracy.t ^a b.	419,312
53	false positive\$.t ^a b.	60,831
54	false negative\$.t ^a b.	34,388
55	miss rate\$.t ^a b.	548
56	error rate\$.t ^a b.	13,607
57	or/37-56	2,352,767
58	(8 and 14) or 28	18,058
59	57 and 58	2,598
60	limit 59 to (english language and yr="2017 -Current")	563
61	Animals/ not (Humans/ and Animals/)	5,078,990
62	60 not 61	560
63	remove duplicates from 62	560
64	Alcohol deterrents/	1,501
65	(alcohol adj1 reduc\$.t ^a b.	4,102
66	(alcohol adj (therap\$ or treatment\$)).t ^a b.	2,289
67	controlled drink\$.t ^a b.	245
68	Naltrexone/	8,630

69	naltrexone.t ^{ab} .	7,093
70	revia.t ^{ab} .	33
71	depade.t ^{ab} .	0
72	vivitrol.t ^{ab} .	50
73	acamprosate.t ^{ab} .	737
74	campral.t ^{ab} .	24
75	Disulfiram/	3,715
76	disulfiram.t ^{ab} .	3,143
77	antabuse.t ^{ab} .	543
78	antabus.t ^{ab} .	69
79	Behavior Therapy/	30,149
80	Cognitive Therapy/	29,988
81	Counseling/	39,505
82	Directive Counseling/	2,429
83	Patient Education as Topic/	88,243
84	Risk Reduction Behavior/	14,231
85	Feedback, psychological/	3,739
86	Health education/	63,507
87	Health promotion/	80,981
88	Motivation/	78,953
89	Internet/	80,987
90	Motivational interviewing/	2,525
91	Persuasive communication/	4,013
92	Self-help groups/	9,575
93	Text messaging/	4,431
94	Therapy, computer-assisted/	6,969
95	(advice or advise\$.t ^{ab}).	82,115
96	counsel\$.t ^{ab} .	113,479
97	behavior?r\$ chang\$.t ^{ab} .	38,327
98	behavior?r\$ intervention\$.t ^{ab} .	11,065
99	behavior?r\$ modification\$.t ^{ab} .	4,488
100	motivational interview\$.t ^{ab} .	4,430
101	(cognitive behavior\$ or behavior\$ therapy or cbt).t ^{ab} .	36,383
102	brief intervention\$.t ^{ab} .	4,226
103	self help.t ^{ab} .	6,484
104	text messag\$.t ^{ab} .	4,535
105	(web or website).t ^{ab} .	155,183
106	(computer adj (based or mediated or assisted)).t ^{ab} .	38,746
107	12 step.t ^{ab} .	865
108	twelve step.t ^{ab} .	213
109	Alcoholics Anonymous/	1,253
110	alcoholics anonymous.t ^{ab} .	807
111	(intervention\$ or psychosocial).ti.	188,313
112	or/64-111	998,819
113	8 and 112	24,194
114	Alcohol-Related Disorders/dt, pc, rh, th [Drug Therapy, Prevention & Control, Rehabilitation, Therapy]	1,864
115	Alcoholic intoxication/dt, pc, rh, th	1,833
116	Alcoholism/dt, pc, rh, th	24,407
117	Binge Drinking/dt, pc, rh, th	356
118	113 or 114 or 115 or 116 or 117	40,913
119	clinical trials as topic/ or controlled clinical trials as topic/ or randomized controlled trials as topic/	363,153
120	(clinical trial or controlled clinical trial or randomized controlled trial).pt.	936,013
121	Random\$.t ^{ab} .	1,195,414
122	control groups/ or double-blind method/ or single-blind method/	208,317
123	clinical trial\$.t ^{ab} .	402,497
124	controlled trial\$.t ^{ab} .	263,006
125	119 or 120 or 121 or 122 or 123 or 124	2,039,810
126	118 and 125	7,749
127	36 or 126	8,968
128	limit 127 to (english language and yr="2017-Current")	2,385

129	Animals/ not (Humans/ and Animals/)	5,078,990
130	128 not 129	2,363
131	remove duplicates from 130	2,363
132	63 or 131	2,852

PsycInfo – EBSCO 20230504		
#	Searches	Results
S1	SU Alcohols	88,552
S2	SU Alcohol Abuse	26,967
S3	SU Alcohol Intoxication	5,938
S4	SU Acute Alcoholic Intoxication	243
S5	SU Chronic Alcoholic Intoxication	131
S6	SU Binge Drinking	3,911
S7	SU Alcoholism	47,407
S8	(TI Alcohol* OR AB alcohol* OR KW alcohol*) N1 (TI (use* or abuse* or misuse* or depend* or addict* or excess* or harmful or risk* or hazardous or problem* or unhealthy) OR AB (use* or abuse* or misuse* or depend* or addict* or excess* or harmful or risk* or hazardous or problem* or unhealthy) OR KW (use* or abuse* or misuse* or depend* or addict* or excess* or harmful or risk* or hazardous or problem* or unhealthy))	74,107
S9	(TI drink* OR AB drink* OR KW drink*) N1 (TI (harmful* or risk* or hazardous or problem* or binge* or heavy or excessive or unhealthy) OR AB (harmful* or risk* or hazardous or problem* or binge* or heavy or excessive or unhealthy) OR KW (harmful* or risk* or hazardous or problem* or binge* or heavy or excessive or unhealthy))	21,045
S10	TI heavy episodic OR AB heavy episodic OR KW heavy episodic	1,272
S11	S1 OR S2 OR S3 OR S4 OR S5 OR S6 OR S7 OR S8 OR S9 OR S10	127,861
S12	SU Screening	40,567
S13	SU Health Screening	17,683
S14	SU Screening Tests	16,121
S15	SU Intake Interview	656
S16	SU Symptom Checklists	1,479
S17	SU Interviews	55,448
S18	SU Questionnaires	158,733
S19	SU Rating Scales	80,944
S20	SU Self Report	37,832
S21	SU General Health Questionnaire	2,344
S22	SU Computer Assisted Diagnosis	3,553
S23	TI screen* OR AB screen* OR KW screen*	118,791
S24	(TI assessment OR AB assessment OR KW assessment) N1 (TI (tool* OR instrument*) OR AB (tool* OR instrument*) OR KW (tool* OR instrument*))	22,606
S25	(TI alcohol* OR AB alcohol* OR KW alcohol*) N5 (TI (scale* or inventor* or questionnaire* or survey* or index* or checklist* or interview*) OR AB (scale* or inventor* or questionnaire* or survey* or index* or checklist* or interview*) OR KW (scale* or inventor* or questionnaire* or survey* or index* or checklist* or interview*))	12,158
S26	TI self report* OR AB self report* OR KW self report*	223,304
S27	TI identif*	37,602
S28	S12 OR S13 OR S14 OR S15 OR S16 OR S17 OR S18 OR S19 OR S20 OR S21 OR S22 OR S23 OR S24 OR S25 OR S26 OR S27	623,338
S29	TI ("Alcohol Smoking and Substance Involvement Screening Test") OR AB ("Alcohol Smoking and Substance Involvement Screening Test") OR TM ("Alcohol Smoking and Substance Involvement Screening Test")	957
S30	TI AUDIT-C OR AB AUDIT-C OR TM AUDIT-C	533
S31	TI "Alcohol Use Disorder Identification Test" OR AB "Alcohol Use Disorder Identification Test" OR TM "Alcohol Use Disorder Identification Test"	973
S32	TI SASQ OR AB SASQ OR TM SASQ	12
S33	TI "Single Alcohol Screening Question*" OR AB "Single Alcohol Screening Question*" OR TM "Single Alcohol Screening Question*"	16
S34	TI "National Institute on Alcohol Abuse and Alcoholism Single Item" OR AB "National Institute on Alcohol Abuse and Alcoholism Single Item" OR TM "National Institute on Alcohol Abuse and Alcoholism Single Item"	0
S35	TI NIAAA Single Item OR AB NIAAA Single Item OR TM NIAAA Single Item	8
S36	TI Cut down Annoyed Guilty Eye-opener OR AB Cut down Annoyed Guilty Eye-opener OR TM Cut down Annoyed Guilty Eye-opener	70
S37	TI ("Brief Screener for Tobacco Alcohol and other Drugs") OR AB ("Brief Screener for Tobacco Alcohol and other Drugs") OR TM ("Brief Screener for Tobacco Alcohol and other Drugs")	5
S38	TI BSTAD OR AB BSTAD OR TM BSTAD	2
S39	TI Comorbidity Alcohol Risk Evaluation Tool OR AB Comorbidity Alcohol Risk Evaluation Tool OR TM Comorbidity Alcohol Risk Evaluation Tool	18
S40	TI Tolerance Annoyed Cut down Eye opener OR AB Tolerance Annoyed Cut down Eye opener OR TM Tolerance Annoyed Cut down Eye opener	9
S41	TI Tolerance Worried Eye-opener Amnesia Kut down OR AB Tolerance Worried Eye-opener Amnesia Kut down OR TM Tolerance Worried Eye-opener Amnesia Kut down	4
S42	S29 OR S30 OR S31 OR S32 OR S33 OR S34 OR S35 OR S36 OR S37 OR S38 OR S39 OR S40 OR S41	2,499

S43	TI random* OR AB random* OR KW random* OR MA random*	247,838
S44	TI placebo* OR AB placebo* OR KW placebo* OR MA placebo*	45,168
S45	TI controlled trial* OR AB controlled trial* OR KW controlled trial* OR MA controlled trial*	69,026
S46	TI clinical trial* OR AB clinical trial* OR KW clinical trial* OR MA clinical trial*	71,417
S47	MR clinical trial	37,211
S48	SU Experiment Controls	1,298
S49	S43 OR S44 OR S45 OR S46 OR S47 OR S48	318,415
S50	S11 AND (S28 or S42) AND S49	4,843
S51	S50 AND LA english AND PY 2017-2023	1,309
S52	SU Test Validity	98,291
S53	SU Test Reliability	64,185
S54	SU Interrater Reliability	3,663
S55	TI validity OR AB validity OR KW validity	175,812
S56	TI reliability OR AB reliability OR KW reliability	112,854
S57	TI Receiver operat* OR AB Receiver operat* OR KW Receiver operat*	7,909
S58	TI ROC curve* OR AB ROC curve* OR KW ROC curve*	3,612
S59	TI sensitivit* OR AB sensitivit* OR KW sensitivit*	109,575
S60	TI specificit* OR AB specificit* OR KW specificit*	44,833
S61	TI predictive value OR AB predictive value OR KW predictive value	15,918
S62	TI accuracy OR AB accuracy OR KW accuracy	88,945
S63	TI false positive* OR AB false positive* OR KW false positive*	6,878
S64	TI false negative* OR AB false negative* OR KW false negative*	4,098
S65	TI miss rate* OR AB miss rate* OR KW miss rate*	690
S66	TI error rate* OR AB error rate* OR KW error rate*	18,988
S67	S52 OR S53 OR S54 OR S55 OR S56 OR S57 OR S58 OR S59 OR S60 OR S61 OR S62 OR S63 OR S64 OR S65 OR S66	460,373
S68	(S11 AND S28) OR S42	36,558
S69	S67 AND S68	4,931
S70	S69 AND LA english AND PY 2017-2023	1,073
S71	SU Acamprosate	303
S72	TI acamprosate OR AB acamprosate OR KW acamprosate	532
S73	TI campral OR AB campral OR KW campral	14
S74	SU Naltrexone	3,709
S75	TI revia OR AB revia OR KW revia	18
S76	TI depade OR AB depade OR KW depade	0
S77	TI vivitrol OR AB vivitrol OR KW vivitrol	44
S78	SU Disulfiram	619
S79	TI disulfiram OR AB disulfiram OR KW disulfiram	762
S80	TI antabuse OR AB antabuse OR KW antabuse	166
S81	TI antabus OR AB antabus OR KW antabus	12
S82	SU Alcohol Rehabilitation	1,660
S83	SU Rehabilitation Counseling	2,755
S84	TI (alcohol N1 reduc*) OR AB (alcohol N1 reduc*) OR KW (alcohol N1 reduc*)	5,160
S85	(TI alcohol OR AB alcohol OR KW alcohol) N1 (TI (therap* or treatment*) OR AB (therap* or treatment*) OR KW (therap* or treatment*))	6,568
S86	TI controlled drink* OR AB controlled drink* OR KW controlled drink*	3,061
S87	SU Health Promotion	39,463
S88	SU Motivation	113,127
S89	SU Behavior Modification	15,063
S90	SU Behavior Change	35,051
S91	TI behavio?r* chang* OR AB behavio?r* chang* OR KW behavio?r* chang*	28,755
S92	TI behavio?r* interventio* OR AB behavio?r* interventio* OR KW behavio?r* interventio*	23,913
S93	TI behavio?r* modificatio* OR AB behavio?r* modificatio* OR KW behavio?r* modificatio*	1,970
S94	SU behavior therapy	87,229
S95	SU cognitive behavior therapy	32,357
S96	SU cognitive therapy	57,131
S97	SU Cognitive Techniques	6,543
S98	TI (cognitive behavio* OR behavio* OR therapy OR cbt) OR AB (cognitive behavio* OR behavio* OR therapy OR cbt) OR KW (cognitive behavio* OR behavio* OR therapy OR cbt)	1,344,908
S99	TI brief interventio* OR AB brief interventio* OR KW brief interventio*	21,464
S100	SU Persuasive Communication	6,841
S101	SU Motivational Interviewing	3,553
S102	TI motivational interventio* OR AB motivational interventio* OR KW motivational interventio*	6,930

S103	SU Health Knowledge	41,326
S104	SU Health Behavior	137,972
S105	SU Health Education	62,678
S106	SU Client Education	8,207
S107	SU Feedback	36,129
S108	SU Online Therapy	4,711
S109	SU Computer Assisted Therapy	3,685
S110	SU Computer Mediated Communication	7,281
S111	SU Computer Assisted Testing	672
S112	SU Internet	45,950
S113	(TI computer OR AB computer OR KW computer) N1 (TI (based or mediated or assisted) OR AB (based or mediated or assisted) OR KW (based or mediated or assisted))	22,421
S114	TI text messag* OR AB text messag* OR KW text messag*	5,035
S115	TI email* OR AB email* OR KW email*	6,594
S116	TI internet OR AB internet OR KW internet	48,173
S117	TI (web or website) OR AB (web or website) OR KW (web or website)	56,265
S118	SU Self Help Techniques	4,698
S119	TI self help OR AB self help OR KW self help	53,659
S120	SU counseling	76,893
S121	SU Group Counseling	10,225
S122	TI counseling OR AB counseling OR KW counseling	87,482
S123	TI counselling OR AB counselling OR KW counselling	13,592
S124	SU Alcoholics Anonymous	1,821
S125	SU Twelve Step Programs	880
S126	TI alcoholics anonymous OR AB alcoholics anonymous OR KW alcoholics anonymous	2,426
S127	TI 12 step OR AB 12 step OR KW 12 step	4,178
S128	TI twelve step OR AB twelve step OR KW twelve step	4,124
S129	TI advice OR AB advice OR KW advice	23,501
S130	TI advise* OR AB advise* OR KW advise*	9,599
S131	TI intervention* or psychosocia	86,406
S132	S71 OR S72 OR S73 OR S74 OR S75 OR S76 OR S77 OR S78 OR S79 OR S80 OR S81 OR S82 OR S83 OR S84 OR S85 OR S86 OR S87 OR S88 OR S89 OR S90 OR S91 OR S92 OR S93 OR S94 OR S95 OR S96 OR S97 OR S98 OR S99 OR S100 OR S101 OR S102 OR S103 OR S104 OR S105 OR S106 OR S107 OR S108 OR S109 OR S110 OR S111 OR S112 OR S113 OR S114 OR S115 OR S116 OR S117 OR S118 OR S119 OR S120 OR S121 OR S122 OR S123 OR S124 OR S125 OR S126 OR S127 OR S128 OR S129 OR S130 OR S131	1,851,397
S133	S11 AND S49 AND S132	9,105
S134	S133 AND LA english AND PY 2017-2023	2,597
S135	S51 OR S70 OR S134	3,887

	DB	No.
PubMed (for publisher-supplied records only)		130
Cochrane Central Register of Controlled Trials (CENTRAL)		8
Ovid MEDLINE(R) 1946 to April Week 4 2023		2,852
PsycInfo-EBSCO		3,887
Total		6,877
Excluding duplicates (automatic 1,258/manual 346)		1,604
Final		5,273